

SASSA: SASSA 253-22-KZN

INVITATION TO QUOTE

SASSA: 253-22-FAS: KZN: REQUEST FOR QUOTATION OF OFFICE IMPOROVEMENT AT SASSA UMSINGA LOCAL OFFICE

NO BRIEFING SESSION

PROPOSALS MUST BE DEPOSITED IN THE BID BOX SITUATED AT:

SASSA KwaZulu Natal Regional Office

Reception area (Ground Floor)

NO.1 Bank Street Pietermaritzburg

3201

PUBLICATION DATE:

17 November 2022

CLOSING DATE

01 December 2022

TIME

11:00

TECHNICAL ENQUIRIES

Mr V Mseleku

CONTACT NUMBER

083 595 9785

EMAIL ADDRESS

Vukam@sassa.gov.za

SUPPLY CHAIN MANANAGEMENT ENQUIRIES CAN BE DIRECTED TO:

CONTACT PERSON:

Ms N Mkhungo 033 846 9524

CONTACT NUMBER: EMAIL ADDRESS :

nellym@sassa.gov.za

Stamp Out Social Grants Fraud and Corruption Call 0800 60 10 11/ 0800 701 701





INVITATION FOR QUOTATIONS

THE SOUTH AFRICAN SOCIAL SECURITY AGENCY INVITES QUOTATIONS

Project title:	REQUEST FOR QUOTATION OF OFFICE IMPORON	VEMENT AT	SASSA
	UMSINGA LOCAL OFFICE		

Prospective bidders with a minimum of 1GB or higher grading on CIDB registration of companies are hereby invited to quote for office improvement at SASSA Umsinga Local Office.

Quote no:	SASSA 253/22	Closing Date	01 December 2022
Closing time:	11:00	Validity period:	60 days

1. COMPLETION OF QUOTATION/BID DOCUMENTS:

- a) All quotations documents must be fully completed in ink
- b) Completed forms must be addressed to the South African Social Security Agency and emailed or faxed to the fax number below.
- c) This quotation is subject to the GCC (General Conditions of Contract) and any other special conditions of contract where applicable.
- d) The taxes of the successful bidder must be in order, or satisfactory arrangements must be made with the Receiver of Revenue to meet the bidder's tax obligations.

e) Terms and Conditions for quote:

- Your quotation must be on a Company Letterhead / Company Stamp and signature, include Total Price, indicate SASSA quote number, Quotation date & Validity period, and must be VAT inclusive, (where applicable) or
- Fully complete the attached pricing Templete (It must have a Company Stamp and signature, include Grand Total, indicate SASSA quote number, Quotation date & Validity period, and must be VAT inclusive-where applicable)
- f) Quotations must be accompanied by the current CSD Report, valid Tax Clearance Certificate OR PIN NUMBER for Tax Clearance Certificate.
- g) Quotations equal to R30,000.00 and above shall be evaluated on 80\20-point system
- h) Suppliers to declare if they have running orders or contracts with SASSA. Please indicate order number and date of the running contract on your current quotation.
- i) SBD forms must be completed in full, failure to do so MAY invalidate your quotation.
- j) Valid copy of BBBEE Certificate or SWORN Affidavit (if applicable)


ITEM NUMBER	DESCRIPTION	QUANTITY
	SBD forms and Bill of Quantities are to be downloaded from the website: www.sassa.gov.za as from 18 November 2022	BOQ 1 BOO 2

ENQUIRIES RELATED TO DOCUMENTS MAY BE ADDRESSED TO:

BUYER: Ms N Mkhungo	SCM	Telephone no:	033 846 9524
BRIEFING SESSION		THERE WILL BE NO E	BRIEFING SESSION
All Quotation and sup must be deposited in t situated at:		SASSA KwaZulu N Reception area (G No.1 Bank Street Pietermaritzburg 3201	latal Regional Office round Floor)

SIGNATURE OF SUPPLY CHAIN MANAGEMENT OFFICIAL

ATE: 16 November 2022



PART A INVITATION TO BID

YOU ARE HERE			REQUIREMENTS OF TH						Maria de la compansión de
BID NUMBER:		4 253/22 HEST FOR <i>C</i>	CLOSING DATE:			CEMBER 2022			11:00 AM
DESCRIPTION	OFF	CEST FOR (ZOTATION OF	OFFICE I	IVLI	KOAFMENI	AI	SASSA UNISIN	IGA LOCAL
				100 100 100 100 100 100 100 100 100 100	2 84 12 661 22	8 (4-145) de 36-161 (39)			
	F 55 590						iji deta		
CONTACT PERS			BE DIRECTED TO			NQUIRIES MAY E	BE DIRI		
TELEPHONE NUI		Mrs N Mkhung 033 846 9524	0	CONTACT				Mr V Msele	
FACSIMILE NUM		N/A		TELEPHON FACSIMILE	-			033 846 34	49
E-MAIL ADDRESS		nellym@sassa	.gov.za	E-MAIL ADI				N/A Vukam@s:	assa.gov.za
SUPPLIER INFOR	RMATIO	N			28. S	marsons de se se	1 15 605 168° 61 468	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1000.gov.20
NAME OF BIDDE	R								
POSTAL ADDRES	SS								
STREET ADDRES	SS								2.08
TELEPHONE NUM	MBER	CODE		NU	МВІ	ER .			·
CELLPHONE NUM	/BER				-				
FACSIMILE NUME	3ER	CODE		NU	MBE	ER .			
E-MAIL ADDRESS	3					***			
VAT REGISTRA	ATION								
NUMBER SUPPLIER		TAX				CENTRAL			
COMPLIANCE ST.	ATUS	COMPLIANCE		OR	ĺ	SUPPLIER			
		SYSTEM PIN:				DATABASE No:	84666		
B-BBEE STATUS		TICK AF	PLICABLE BOX	B-BBEE STA	ATU	S LEVEL SWORN	MAAA V	[TICK APPLIC	CABLE BOXI
LEVEL VERIFICAT	LION			AFFIDAVIT					
CENTIFICATE		Yes	☐ No					□Yes	□ No
			—		90	The second se	Production Company		
(A B-BBEE STA ORDER TO QUA	TUS LI LLIFY F	EVEL VERIFICA OR PREFEREN	TION GERTIFICATE/ ICE POINTS FOR B-BI	SWORN AFF BEET	-ID)	AVIT (FOR EME	S & Q	SEs) MUST BE S	UBMITTED IN
ARE YOU THE					<u> </u>				
ACCREDITED REPRESENTATIV	EIN			ARE YOU A	FO	REIGN BASED		Yes	[]No
SOUTH AFRICA F		Yes	□No			THE GOODS ORKS OFFERED	,	163	[]No
THE GOODS /SERVICES /WOR	KS .	[IF YES ENCLOS	SE DOMOEI	10LKVIOLO	/ * * * C	MAS OFFLICED	1	(IF YES, ANSWER	
OFFERED?		[11 120 2140204	JE (100) j					QUESTIONNAIRE	: BELOW]
QUESTIONNAIRE	то вір	DING FOREIGN	SUPPLIERS			er er er er er er.			
IS THE ENTITY A	RESIDE	NT OF THE REP	UBLIC OF SOUTH AFRIC	A (RSA)?				☐ YES	□NO
DOES THE ENTITY	Y HAVE	A BRANCH IN TI	HE RSA?					YES	□ NO
DOES THE ENTITY	Y HAVE	A PERMANENT	ESTABLISHMENT IN THE	E RSA?				YES	_ □ NO
DOES THE ENTITY	Y HAVE	ANY SOURCE O	F INCOME IN THE RSA?						_ NO
			NY FORM OF TAXATION					☐ YES	
IF THE ANSWER SYSTEM PIN COD	IS "NO' E FROM	' TO ALL OF TH // THE SOUTH AF	E ABOVË, THEN IT IS N FRICAN REVENUE SERV	OT A REQUIR	REN	IENT TO REGIST	ER FO	R A TAX COMPLI	ANCE STATUS
		+ 	······································	א (סאונט) א	.,,,,	NOT REGISTE	-N MO I	LIX Z.J DELOVY.	

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	



BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

- 1.1 Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.
- 1.2 Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. BIDDER'S DECLARATION

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?
 YES / NO
 - 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

I the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.



Full Name	Identity Number	Name of State institution
enned finder type and to sho be to sind an influence or transcribe an encountries the short and transcribe and training and an article and training and an article and article and article and a	Angestigan materials in menyik tagi terre in department operation of the second of this between the desired of	
en e	Company of the Compan	gar en
		<u>Baragan yang mana ana intan ang intan ang intan ang intan ang ang ang ang ang ang ang ang ang a</u>
	A CONTRACTOR AND AND A CONTRACTOR AND	ethiologica (on photosis desirabilità desirabilità control estato del proposition del proposit
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 (20 (20 (20 (20 (20 (20 (20 (20 (20 (
ktonik kapabai 17 kiloni dari dara waran 18 (18 kiloni kapaba waran 18 (18 kiloni kapabai 17 kiloni kapabai 18		
akkaj maja kakaka katalan kaja kaja kaja kaja kaja kaja kaja ka	AAAAAA AAAAA	
and the second s	to 17% or 1987 special according to the control of	
on the contract the state of the contract of t		
Start 10 1 to the system and specific or the system is the system of the		o o o o o o o o o o o o o o o o o o o
and the state of t	an gandana kan ki ini da asas 19 kasasa kan isisi ka sasaka sasaka kanda kanga 19 kasa 19 kasa kan asasa 19 kasa	SIN 1980-bi ({ dahka kidigin ing powalny naga japah akakikoki bisterensisyi pinyinyi 1880/1888-bishakakakan jaya permananya sepis
		j kiri umbehaman manan da katalahidi da da katala katalahidi da katalahidi da katalahidi.
ennen (1-a-a)da Param (1-a-param) didanda ina ia-abap kahina manamammamama ennengin yan untukin melapapan yangan p		ያያለዊ መርሃርያ ያንያፀደጃ ያንድን (1800 ዓም) ታቅጣ ነገቶ ዕብመት ስለተል ነት ነገ ነገ ተመጣርት የ ነገርነት የ
ortonda tartustantus program ya sinastana a sanata da kiri a kiki kananan ya sinastania kinanda kinanda kiki a	The reading wife in the part of the first of the district of the second	
g agasyyggagigigistasag yyyapana an kanalis	a tita takan na aka da aka da aka ka sa sa	gannis oraligija (1888) (1888) kalika ja
		and the state of t
angili kilik 19.90km jihil dan sa menjahan makalikili kilik ini ini sa sajah haja ka ja da ja ja da ja ja ja j	ing a distinguish the first of	
		ti talah ingga saman kan kan kan kan kan kan kan kan kan k
heiminneden 1884 aus 1884 de kolonie in die in hier jaar het het die in die stroop de kolonie in die	de despression from the content of t	



2.2	Do you, or any person connected with the bidder, have a relationship with
	any person who is employed by the procuring institution? YES/NO
	2.2.1 If so, furnish particulars:

	······································
la	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・
	······································
	······································
2.3	Does the bidder or any of its directors / trustees / shareholders / members /
	partners or any person having a controlling interest in the enterprise have
	any interest in any other related enterprise whether or not they are bidding
	for this contract? YES/NO
2.3	.1 If so, furnish particulars:

	erro Belogen o roma (Belogen o roma de transferio de la compaño de la compaño de la constitución de la compaño
	・・・アデザスパイ・・アス・・デアデアン・・アイ・イザルンデザス・・・・・カル・ボデオ・メント・ボデルをデアルトト・・カルのだけがスティ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・
i.	
3. DE	CLARATION
f, t	he undersigned, (name)in
sub	mitting the accompanying bid, do hereby make the following statements that
l ce	ertify to be true and complete in every respect:
3.1	I have read and I understand the contents of this disclosure;
3.2	Lunderstand that the accompanying bid will be disqualified if this disclosure
	is found not to be true and complete in every respect;



- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS
1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

के र राज करोती है के का र का का का का का का का का की की की का किस्सा के का का कर की की की की की की की की की की 	**************************************
Signature	Date
	n
Position	Name of bidder

PREFERENCE POINTS CLAIM FORM

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE ACT.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2
- a) The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 / OR 90/10... preference point system shall be applicable; or
- b) The 80/20 / OR 90/10 preference point system will be applicable to this tender (delete whichever is not applicable for this tender).
- 1.3 Points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	##### 0e\08
B-BBEE STATUS LEVEL OF CO	NTRIBUTOR 20/10
Total points for Price and B-BBI	EE must not
exceed	

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.



2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "price" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis: 80/20 or 90/10

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min}\right)$$
 or $Ps = 90 \left(1 - \frac{Pt - P \min}{P \min}\right)$

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid



3.2 DISPOSAL OF STATE ASSETS AND INCOME-GENERATING PROCUREMENT

3.3 POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis: 80/20 or 90/10

$$Ps = 80 \left(1 + \frac{Pt - P max}{P max}\right)$$
 or $Ps = 90 \left(1 + \frac{Pt - P max}{P max}\right)$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmax = Price of highest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of paragraphs 5.2 and 6.2 of the Addendum to the SASSA Supply Chain Management Policy, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
A comment compare specialists at martin statements upon a special compare spec	10	20
	9	18
3	de o riyyyydynyyyynin meinei iyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy	14
4	5	12
5	4	8
6		6
	2	4
nternalisministeristeristeristeristeristeristerister		2
Non-compliant contributor	0	. 0

5. BID DECLARATION

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 3.1
- 6.1 B-BBEE Status Level of Contributor: =(maximum of 10 or 20 points)

 (Points claimed in respect of paragraph 6.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.
- 7. SUB-CONTRACTING



مر بيت	3.8.034		600-10 p. 1: 1-18641	emotion costs
7.1	Will any portion of the contract be sub-contracted?			
	(Tick applicable box)			
	YES INO I	i.		
7,1.1	If yes, indicate:			
	i) What percentage of the contractor	ith an eni	e me are sident where ever	म हाका शत ज्ञास्त
De	signated Group: An EME or QSE which is at last 51% owned	ЕМЕ	TQ	SE
	by:	√.		V
	k people	in circumstant and mission principal in the circumstant and ci		soluti marumistas com
Blac	k people who are youth		ne-tale contribution	***************************************
blac	k people who are women k people with disabilities		merecessis of Shidestainee	in sympletic designation of the second
	k people with disabilities k people living in rural or underdeveloped areas or townships	,		a jointingramaiséisei
Cool	serative owned by black meanic	TO THE PROPERTY OF THE PROPERT	der a der de la constitución de la	per mentaninan mentani
Blac	k people who are military veterans	and appears are in the first annual con-	······································	acte backetap by myrang and
-	OR	diadella de la constanta de la constanta de la cons tanta de la constanta de	and bolomore	
Service Contract Cont	EME	interpretation maria maria sassassassas	and the second s	
Any	QSE			
8. 8.1 8.2	DECLARATION WITH REGARD TO COMPANY/FIRM Name of company/firm: VAT registration number:			
8.3	Company registration number:			
8.4	TYPE OF COMPANY/ FIRM			
	 □ Partnership/Joint Venture / Consortium □ One person business/sole propriety □ Close corporation □ Company □ (Pty) Limited [TICK APPLICABLE BOX] 			
8.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES			
	e des a rea de de la como en estable de servicio de la como de del como en establica de de la del de la como d	********	4 - 4 - 4 - ² - 4 - 4 - 7;) »(°, « • • > •
	1 ¹ 2 ²			
	· · · · · · · · · · · · · · · · · · ·	는 그 보면 보세만 현존의 보여		



	3	sassa
8.6	COMPANY CLASSIFICATION	प्रोक्त में श्रेती क्षेत्र है या क्षेत्रकाल के विश्वप
	 □ Manufacturer □ Supplier □ Professional service provider □ Other service providers, e.g. transporter, etc. [TICK APPLICABLE BOX] 	e '
5.7	Total number of years the company/firm has been in business:	
3.8	I/we, the undersigned, who is / are duly authorised to do so or company/firm, certify that the points claimed, based on the B-BBE contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certifications company/ firm for the preference(s) shown and I / we acknowledge that	status level of ate, qualifies the
	i) The information furnished is true and correct;	
	 The preference points claimed are in accordance with the General indicated in paragraph 1 of this form; 	l Conditions as
	 iii) In the event of a contract being awarded as a result of points claim paragraphs 1.4 and 6.1, the contractor may be required to furnish do to the satisfaction of the purchaser that the claims are correct; 	ed as shown in cumentary proof
	iv) If the B-BBEE status level of contributor has been claimed or fraudulent basis or any of the conditions of contract have not be purchaser may, in addition to any other remedy it may have —	
	(a) disqualify the person from the bidding process;	
	 (b) recover costs, losses or damages it has incurred or suffer result of that person's conduct; 	ed as a
	 (c) cancel the contract and claim any damages which it has suf a result of having to make less favourable arrangements due cancellation; 	
	(d) recommend that the bidder or contractor, its sharehold directors, or only the shareholders and directors who acte fraudulent basis, be restricted by the National Treasu obtaining business from any organ of state for a period not ex 10 years, after the audi alteram partem (hear the other side) been applied; and	ed on a ry from ceeding
	(e) forward the matter for criminal prosecution.	
1	and the second s	na je innoce singan sa nagalaka di digena na gena tana na gena gena menengan ingeri me
WIT	NESSES	
1.	SIGNATURE/S) OF I	

and the same of th	4.47	~~~~	
WITNESSES			
1			SIGNATURE(S) OF BIDDERS(S)
2		DATE:	**************************************
ii		ADDRESS	er, er, er, er, skille e steller e e e et, er, er, et, e e latite e e
		:	Market and the first control of the second section of the section of t
	1	idisə bildə si əsəyən yaşını in in in ini	NAME

	MSINGA	BOQ N	10 1		
8	REGION NAME:			KZN	
	NAME OF LOCAL OFFICE:		MS	INGA LOCAL OF	FICE
	OWNERSHIPe.g. Private, State Owned or			State	
	Tribal Authority SPECIFICATION ENQUIRIES:			RV Mseleku	
	CONTACT NUMBERS:	083 595 9785			
	CONTRACT DURATION	6 WEEKS			
ITEM	DESCRIPTION	UOM	QTY	RATE	AMOUNT
	Alterat	ion			
	Carefully remove existing damaged sliding				
1.0.1	door to receive new sliding door	item	1		
	Carefully remove 6 wooden benches and set				
1.0.2	aside benches are 4.5m long x 0.35m wide	item	-1		
	and 0.7m				
	Partition	ning			
v.	Rhino-Drywall partitioning shall comprise				
	steel studding formed of top and bottom				
	tracks with vertical studs at maximum centres				
	as per manufacturer's spec), friction fitted or				
	pop-riveted to the top and bottom tracks with				
	similar additional vertical studs as necessary				
	at abutments, ends, etc. and covered as				
	described with wallboard screwed to studding				
lotes	with "Drywall screws at maximum 220mm				
	centres. Boards to butt jointed and finished				
	with "Rhino" tape and "Ready-mix D" jointing				
	compound all in accordance with the				
	manufacturer's instructions. Intersections,				
	and abutments are not measured separately				
	and descriptions shall be deemed to include				
	any additional corner beads, jointing		144		
	compound, tape, skirting etc.				
	Supply & Install 12mm thick Rhino-Drywall				
	partitioning, making allowances for openings,	200			
1.2.1	as necessary. 2700mm High floor to Ceiling	m²	10		
	and 3600mm length				
	Supply & Install12mm thick Rhino-Drywall				
1.2.2	partitioning, making allowances for openings,	m²	8		
1.4.4	as necessary. 2700mm High floor to Ceiling	111	0		
	land 2950mm length			1	

and 2950mm length

				(<u>b</u>)	
				i i	
	Cupply 9 Install 40 years third Dhin D		Т		
	Supply & Install 12mm thick Rhino-Drywall partitioning, making allowances for openings,			w:	
1.2.3	as necessary. 2700mm High floor to Ceiling	m²	11	, Vi 122	
	and 4247mm length			10 ± 26 ± 26 ± 27 ± 27 ± 27 ± 27 ± 27 ± 27	
	Supply & Install 12mm thick Rhino-Drywall			•	
1.2.4	partitioning, making allowances for openings,	m ²	6		
1.2.4	as necessary. 2700mm High floor to Ceiling	""	0	* *	
	and 1100mm length				
	Supply & Install 12mm thick Rhino-Drywall partitioning, making allowances for openings,			2 2	
1.2.5	as necessary. 2700mm High floor to Ceiling	m²	8		
	and 3072mm length				
	Supply & Install 12mm thick Rhino-Drywall				
1.2.6	partitioning, making allowances for openings,	m²	18		
	as necessary. 2700mm High floor to Ceiling	""	10		
	and 3300mm length Painti	na			A CANADA CAN
	One under coat and two coats Plascon Rice		22 50-17-01		
1.3.1	Paper VEL45 to dry-walling	m²	103		
400	One under coat and two coats Plascon Rice				
1.3.2	Paper VEL45 to brick wall	m²	135		
	All surface contamination such as oil, grease,				
	loose paint, mill scale, dirt, foreign matter,			<u>.</u> 3	
	rust, mold, mildew, mortar, efflorescence and				
	sealers must be removed to assure sound				
Notes	bonding to the tightly adhering old paint.			a **	
	Washing with an abrasive cleanser will clean			- F	
	and dull in one operation, or wash thoroughly				
	and dull by sanding. Spot prime any bare				
	areas with an appropriate primer.				
	Supply, and lay 8mm thick plywood as	ng	S,		
	ceiling, complete including, 38*38mm buttons		*	n ²	
1.4.1		m²	32	-	
**	at 900mm centres (48m), joints, etc. fitted				
	combination of dry walling and brick wall				
1.4.2	Supply, and lay 19mm quadrant hardwood as cornice complete including, joining etc. to dry	m	39	-	
1.4.2	walling and brick wall surfaces	m	39		
4.4.5	One under coat and two coats ceiling paint -	_	6-10060		
1.4.3	white to rhino ceilings	m²	29		
	Alumin	um			
	Supply and install aluminium sliding door,				
1.5.1	natural in colour complete with safety glass,				
1.0.1	cylinder lock, handles, size length: 1,800m;	no	4		
	Height: 2,075 into dry walling.				

				₩ ¹⁹⁸⁹	
				2 4	
	Electri	ical			
	Supply and install 63Amp breaker to DB-G				
1.6.1		no	1		
	Supply and install additional 20Amp breakers				
1.6.2	to existing DB-T for lights, plugs ,air cons	no	8		
	50 Amp Switch, installed within 1m from A/C				
1.6.3	unit	no	6		
	Normal Single Socket Outlet, 16 Amp Plug,				
	WHITE, Fitted with all accessories, functional			,	
	20mm PVC conduit, couplings ,ends ,etc.			,	
BK 90000 000	PVC conduit box: 60mm round x 25mm deep		*:		
1.6.4	on surface with cover, locknut and bush, 100	no	2	r)	
	x 50 x 50mm. Flush outlet box Single, 45m				
	Cable (Red Black, Earth Bare copper,			g o v	
	(1.5d Black, Earth Bare copper,			9	
	Normal Single Socket Outlet, 16 Amp Plug,			e .	
	WHITE, Fitted with all accessories, functional			4 0	
	20mm PVC conduit, couplings ,ends ,etc.			<u> </u>	
	PVC conduit box: 60mm round x 25mm deep				
1.6.5	on surface with cover, locknut and bush, 100	no	5	9	
	x 50 x 50mm Flush outlet box Single, 15m				
	Cable (Red Black, Earth Bare copper,				
	2.5mm)			**	
	Lamp Luminaire Assembly				
	1200mm (4foot LED Luminaire - 2 x 18 W	į			
1.6.6	complete with tubes, mounted in ceiling, 3m	each	2		
	fly, 40m cable (red, black and earth bare			*	
	copper 2,5mm) to DB		ar .	,	
	Lamp Luminaire Assembly			ė .	
166	1200mm (4foot LED Luminaire - 2 x 18 W			6	
1.6.6	complete with tubes, mounted in ceiling, 3m fly, 10m cable (red, black and earth bare	each	1	,	
	copper 2,5mm) to DB			ž.	
	Light Switch				
	2x 5A sockets on surface PVC light switch in				
1.6.7	brickwork, PVC square conduit ,ends,	each	3		
	complete cable (red, black, earth bare copper			965	
	2.5 mm)			e.,	
1.6.8	Supply and install extractor round fan 300mm	each	4	El .	
	(white or other approved) 1200mm (4foot LED - 18 W complete tubes,				
1.6.9	to existing light fittings at height exceeding	no	16		
	3.5m	110	10		
	Blind	S			
				2	
				. **	

.

				* * *	
	Blinds- Vertical blinds with 127mm wide			6	
	vanes, "Cream". Vanes to have plastic bottom				
	weights, interconnected with nylon ball-chain.				
1.7.1	Track to be white powder coated aluminium				
	size 40mm wide X 25 mm high. Top Hooks to				
	be removable from outside the track and to			v	
	have a clutch.		16		
470	2400mm X 1250mm window				
1.7.2		no	2		
470	2100mm X1250 mm window		-		
1.7.3		no	2		
1.7.4	1800mm X 2100 mm opening		_	6	
1.7.4		no	5	100	
	Contractor's responsibility to ensure size on			. 4	
	site, on issuing of order. The size given is for			*	
Note	the overall linear meter of all the areas			* * * *	
Note				b	
	requiring blinds. The overall drop exceeds			50 50 50	
	1000mm but does not exceed 3000mm.				
	Carpen	itry			
	Supply 8mm thick plywood installed into				
1.8.1	brick/concrete surface to cover win blocks at	m²	11	3.	
	height exceeding 3.5m and not exceeding 4m			5.	
	high. Size				
	Supply and install 2 lever silver door lock	S	Г		
1.9.1	1	no	1		46
	complete to existing door Supply and installed door closer -maximum				
1.9.2	25 72 83	no	4		
*	80kg				
	Plumbi	na			
	Remove toilet seat covers and replace with				
1.10.1	white solid PVC (Code B2) or other approved	no	8	5	
	toilet seat.				
1.10.2	Remove existing ceramic pan and replace			2	
1.10.2	same with white lecico toilet p/pan	no	2		
	Carefully remove ceramic wash hand basin			V 4	
1.10.3	including fittings and replace with white	no	3	2 4	
	hibiscus 510mm wash hand basin				
4 40 4	Carefully remove existing toilet cistern and	2002/200		- u _ee	
1.10.4	replace with white plastic cistern LL elf	no	3		
1.10.5	Supply and fit one way (non return valve) on		4		.09
1.10.5	15mm polycop pipe	no	1		
	Cleaning of tailete flears in	ng	ī		
1.11.1	High pressure cleaning of toilets floors in	item	1	*	
	extent of 30square metres		(44)	6 4	
1.11.2	Move all rubble to agreed collection areas and remove daily from site.	Sum	1	,	
1 11 3	Cleaning of rafters at 4m height	itom	1		
1.11.3	Organing of rations at 4111 height	item	!		
				The state of the s	

				<i>₽</i> ° ,	
				** ** *** ***	
				**	
Notes	Clean and make good by removing all rubble		6	р.	
	and debris from site Burglar	, Dave			
	Supply and install UV and scratch resistant	bars	T	T T	
	powder coated finish horizontal bars 12mm			₩ °	
	square bars set 150mm apart, welded to a 25				
	x 5mm flat bar bolted into the sides of the				
	window reveal with one way bolts.				
1.12.1	1800mm X2100 mm window	no	1	, 1e ,	
1.12.2		no	2		
1.12.3	2100mm X1250 mm window	no	2	fie s	
1.12.4	1200mm X920 mm window	no	3		
	Supply and install white powder coated,				
	corrosion and UV retractable security fully				
1.12.5	framed, aluminium sliding gate custom-made	no	1	*	
11.12.0	for 1800mm x2100m sliding door, with slam	110			
	lock system (3level) fitted to face brick			100	
	surface. Supply and install standard (door) gate fixed			20 20	
	to brick surface bolted deep into the reveal			æ .	
	with one way bolts and have 100 x 20mm				
	bullet hinges welded to the frame, which is				
	made of 25 x 25 mm square tubing with a			S	
1.12.6	12mm square bar fill. The square bars to be	no	1	*	
	maximum 110mm apart passing through a	110	'		
	hole punched through a 25 x 5mm flat bar				
	leaving a strong UV and scratch resistant			*00	
	cream colour finish, complete with an cylinder				
	lock reinforced into frame			· ·	
	Contractor's responsibility to ensure size on				
	site, on issuing of order. The size given is for			3.9	
	the fitted aluminium widows			7, 30 %	
				e1	
	SUB TOTAL			of the state	
			95		
	VAT			45.50	
				965	
				£3	
	TOTAL BOQ 1			Ø*	
				-	
				a	
				enes Si	
				5 3	
				* *	

	MSINGA BOQ 2					
	REGION NAME:		7.4	KZN		
	NAME OF LOCAL OFFICE:		MS	SINGA LOCAL OF	FICE	
	OWNERSHIPe.g. Private, State Owned or			State		
	SPECIFICATION ENQUIRIES:	RV Mseleku				
	CONTACT NUMBERS:			083 595 9785		
	CONTRACT DURATION			6 WEEKS		
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT	
	Air-Curtain					
1.1.1	Supply and install air curtain to 1800mm door opening installed to brickwork surface, inclusive of switch and connection to DB with a minimum airflow of 900 cube per hour complete with remote	No	1			
1.1.2	Supply and install air curtain to 900mm door opening installed to brickwork surface, inclusive of switch and connection to DB which is less than 30m from point of installation with a minimum airflow of 900 cube per hour complete with remote	No	1			
4	Air-conditioning					
2.1	Supply and install split unit air conditioners complete with heating and cooling capabilities. All evaporator units shall be supplied with a remote control to adjust the temperature as required.					
	The air-conditioning units supplied must be					
Note	complete with Remote Control units to enable					
	setting the desired environmental conditions.					
2.1.1	12000 BTU	No	3			
2.1.2	18000 BTU	No	4			
	Performance					
	Cooling requirements shall be as follows, Summer Outdoor: Dry Bulb 32°C,Indoor: Dry Bulb 22° c,Wet Bulb 16°C. Heating requirements shall be as follows, Winter, Outdoor: Dry Bulb 5°C,Wet Bulb 4°C ,Indoor: Dry Bulb 20°		*1			
	Evaporator					

ı				
	The evaporator shall be wall or ceiling			
	mounted on suitable brackets properly			
	secured to the wall or ceiling, supplied with an			
	over-heat function as well as an indoor anti-			
111	ice coil sensor. The filters for the evaporator			
	shall be treated with Anti Mould agent.			
# H	Condenser			
Note	The condenser shall be air cooled and			
	mounted outside the building in a suitable			
	position on properly designed galvanised			
	brackets. The coil of the condenser unit shall			
	be coated with blygold or similar approved			
	corrosion protection. The compressor shall be			
	the hermetic type			
	Piping			
	All refrigeration piping shall be insulated with			
	20 mm (min), flexible elastomeric closed cell			
	rubber insulation with a maximum k value of			
	0,26 W/m° C.All refrigeration piping shall be			
	properly secured. The condenser will be			
	supplied with a suitable drainpipe (UV			
	5 7 75			
	Resistant) for the discharge of condensate, Electrical			
	Red Black, Netrueal, Earth Bare copper, 2.5		Ι	
	MM electrical wire to brick surface with			
name name of the	HVIIVI CICCIIICAI WIIE IO DIICK SUHACE WIII			
2.2.1	2607 32 33 2247 330 200420 837	no	1	
2.2.1	suitable cover for aircnditioniers, connected to	no	1	
2.2.1	2607 32 33 2247 330 200420 837	no	1	
	suitable cover for aircnditioniers, connected to main DB which is 10m away			
2.2.1	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal,Earth Bare copper, 2.5	no	1	
	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal,Earth Bare copper, 2.5 MM electrical wire to brick surface with			
	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal,Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal,Earth Bare copper, 2.5			
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with	no	1	
	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to			
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM)	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m 50 Amp Switch, installed within 1m from A/C	no	1	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m	no	2	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m 50 Amp Switch, installed within 1m from A/C unit	no	2	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m 50 Amp Switch, installed within 1m from A/C	no	2	
2.2.2	suitable cover for aircnditioniers, connected to main DB which is 10m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 15m away Red Black, Netrueal, Earth Bare copper, 2.5 MM electrical wire to brick surface with suitable cover for aircnditioniers, connected to main DB which is 45m away Normal Single Socket Outlet, 16 Amp, normal Plug, WHITE, Fitted with all accessories, functional wall mounted surface with cover (Red Black, Earth Bare copper, 2.5 MM) connected to main DB 35m 50 Amp Switch, installed within 1m from A/C unit	no	2	

VAT	
TOTAL BOQ 2	

	MSINGA LO OFFICE IMPROVEMENT SEPTEMBER 2022						
	REGION NAME:		1	KZN			
	NAME OF LOCAL OFFICE:	MSINGA LOCAL OFFICE					
	OWNERSHIPe.g. Private, State Owned or Tribal		State				
	SPECIFICATION ENQUIRIES:	RV Mseleku					
	CONTACT NUMBERS:		083 595 9785				
	CONTRACT DURATION		6 WEEKS				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT		
	PRICE SUM	IMARY					
1	MSINGA BOQ NO 1			-			
2	MSINGA BOQ NO 2		-3				
	GRAND TOTAL						